Safety Data Sheet AERO FG-CP (All ISO grades)



1. Identification	
Product identifier	AERO FG-CP (All ISO grades)
Product code	Various
Other means of identification	For all viscosity Grade ISO 32, ISO 46, ISO 68 and ISO 100
Recommended use of the chemical and restrictions on use	Compressor fluids Food grade quality lubricants. This product is intended for application on industrial and food equipment. It should not be added directly to the food product.
Manufacturer	AEROCHEM Inc. 50, rue Emilien-Marcoux Suite #109 Blainville, Quebec Canada J7C 0B5 Tel. 450-667-2376 1-877-267-2376 Fax 450-667-5302 www.aerochem.ca info@aerochem.ca
Emergency phone number	Quebec Poison Center: 1-800-463-5060 (toll free in QC) Ontario and Manitoba Poison Centres: 1-800-268-9017 or 419-813-5900 BC Drug and Poison Information Centre: 1-800-567-8911 (toll free in BC) or contact your local poison control centre in the state/province or territory where you live. Canutec: 613-996-6666 or *666 on a cellular phone (for transportation)

2. Hazard identification

Summary

Avoid contact with skin, eyes and clothing. Do not ingest. If ingested consult physician immediately and show this Safety Data Sheet. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.

WHMIS 2015/OSHA HCS 2012/GHS

Not Regulated under WHMIS 2015/GHS

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

3. Composition/information on ingredients		
Common name	CAS	Weight % content
White mineral oil	8042-47-5	90 - 100 %

4. First-aid measures		
Inhalation	Move person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen by trained personnel. If a problem develops or persists, seek medical attention.	
Skin contact	Wash skin with warm water and mild soap. Remove contaminated clothing and wash before reuse. If a problem develops or persists, seek medical attention. Discard contaminated leather articles such as shoes and belt.	
Eye contact	Flush with water for at least 15 minutes. Remove contact lenses if easy to do. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.	
Ingestion	DO NOT induce vomiting, unless recommended by medical personnel. Never give anything by mouth if victim is unconscious or convulsing. If victim is conscious wash out mouth with plenty of water. If spontaneous vomiting occurs, keep head below hip level to prevent aspiration into the lungs. If ingestion of a large amount does occur, seek medical attention or contact a Poison Centre immediately.	
Other	No information available.	
Symptoms	May cause redness and slight irritation of the eyes.	
Notes to the physician	If gastric lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.	

5. Fire-fighting measures		
Suitable extinguishing media	Use appropriate extinguisher for surrounding fire. Do not use a heavy water jet.	
Specific hazards arising from the chemical	Non-Flammable. May be combustible at high temperature.	
Special protective equipment	Firefighters must wear self contained breathing apparatus with full face mask. Firefighting suit may not be efficient against chemicals.	
Special protective actions for fire-fighters	Use water spray to cool fire-exposed containers. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply.	

6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Do not touch spilled material. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet.	
Environmental precautions	Prevent entry in sewer and other enclosed area. For a large spill, consult the Department of Environment or the relevant authorities.	
Methods and materials for containment and cleaning up	Ventilate the area well. Absorb with inert material (soil, sand, vermiculite) or wipe up or scrape up and place in an appropriate waste disposal container clearly identified.	

7. Handling and storage Precautions for safe handling Use in well ventilated area. Avoid contact with skin, eyes and clothing. Avoid prolonged or repeated breathing of vapour or mists. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet. Keep away from heat and open flame. Avoid contamination with another chemical

	product. Keep containers tightly closed when not in use. Do not eat, do not drink and do not smoke during use. After use, wash hands with soap and water. Wash contaminated clothing before reuse.
Conditions for safe storage, including any incompatibilities	Store tightly close and in properly labelled container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials (see section 10). Keep away from direct sunlight and heat.
Storage temperature	5 to 45°C (41 to 113°F)

8. Exposure cor	ntrols/persona	al protection		
Immediately Dangerous to Life or Health	No IDLH value is re	eported.	VI	TM/MD
White mineral oil	STEL TWA (8h)	Mist Mist Fume Mist	10 mg/m ³ 1 mg/m ³ 2 mg/m ³ 5 mg/m ³	RSST BC ACGIH ACGIH , ON, RSST
Appropriate engineering controls			general and/or local exhaus or dust below their respect	
Individual protection m	ieasures		1	
Eye	Wear safety glasse	s. If there is a risk of co	entact with eyes, wear chem	nical splash goggles.
Hands	If any risk of skin contact wear nitrile gloves. Disposable nitrile gloves can also be used, but discard after single use. Before using, user should confirm impermeability. Discard gloves with tears, pinholes, or signs of wear.			
Skin	and the risks involv code. Synthetic pol	red. Wear normal work	clothing covering arms and equivalent coveralls manufa	I on the task being performed legs as required by employer actured to provide protection
Respiratory	respirator, it is nece equipment (RPE) n and standard 29 CI NIOSH/MSHA. In c	essary to follow a respir nust be selected, fitted, FR 1910.134 (OSHA), A ase of insufficient venti	atory protection program. Meanintained and inspected ANSI Z88.2 or CSA Z 94.11 lation or in enclosed area up	tions in the workplace require a Moreover, respiratory protection in accordance with regulations (Canada) and approved by intil maximum 10 times of es and fitted with a particulate
Feet	Wear rubber boots	to clean up a spill.		
		Safety glasses Nitri	le gloves	

9. Physical and chemical properties			
Physical state	Liquid	Flammability	Non-flammable.
Colour	Colourless to light yellow	Flammability limits	N/Av.
Odour	Slight Hydrocarbon Odour	Flash point	From 224 to 280°C (from 3435 to 536°F) Cleveland Closed Cup
Odour threshold	N/Av.	Auto-ignition temperature	N/Av.

pH	N/Ap.	Sensibility to electrostatic charges	N.Av.
Melting point	N/Av.	Sensibility to sparks and/or friction	No
Freezing point	N/Av.	Vapour density	N/Av. (Air = 1)
Boiling point	N/Av.	Relative density	0.87 kg/L (Water = 1)
Solubility	Insoluble in water.	Partition coefficient n-octanol/water	N/Av.
Evaporation rate	< Butyl Acetate	Decomposition temperature	N/Av.
Vapour pressure	<1kPa (7.5 mm Hg) @ 20°C (68°F)	Viscosity	From 32 to 105 cSt @ 40°C (104°F)
Percent Volatile	N/Av.	Molecular mass	N/Av.
N/Av	.: Not Available N/Ap.: Not Applicable	Und.: Undetermined	N/E: Not Established

10. Stability and reactivity		
Reactivity	No known dangerous reactions.	
Chemical stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions (including polymerizations)	Hazardous polymerization will not occur.	
Conditions to avoid	Avoid contamination with another chemical product. Avoid contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents (e.g. chlorine, fluorine, nitric acid, perchloric acid, peroxides, nitrates, chlorates, chromates, permanganates and perchlorates), strong acids (e.g. hydrochloric acid, sulfuric acid, phosphoric acid), strong bases (e.g. hydroxides, solutions of ammonia, amines, carbonates).	
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

11. Toxicological information			
Numerical measures of toxicity	White mineral oil Ingestion >2460 mg/kg Rat LD50 Inhalation >2.46 mg/l/4h Rat LC50 Skin >2000 mg/kg Rabbit LD50		
Likely routes of exposure	Skin, eyes, inhalation	, ingestion.	
Delayed, immediate and chronic effects	Eye contact	May cause redness and slight irritation of the eyes. Eye Irritation/Corrosion, Rabbit (OECD TG 405): Not irritating.	
	Skin contact	Prolonged or repeated contact may cause skin irritation. Skin Irritation/Corrosion, Rabbit (OECD 404): Not irritating.	
	Inhalation	Generally speaking, working cleanly and following basic precautionary measures will greatly minimize the potential for harmful exposure to this product under normal use conditions.	
	Ingestion	Swallowing a large amount may cause gastrointestinal irritation and diarrhea.	
	Respiratory or skin sensitization	Ingredients present at levels greater than or equal to 0.1% of this product are not skin or respiratory sensitizers. No ingredients listed.	

	IARC/NTP Classification
	Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.
	Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects.
	Reproductive Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects.
	Specific target No target organ is listed. organ toxicity - single exposure
	Specific target No target organ is listed. organ toxicity - repeated exposure
Interactive effects	No information available.
Other information	No information available.

12. Ecological information					
Ecological toxicity	Fish - Oncorhynchus mykiss - Rainbow trout Aquatic Invertebrate - Daphnia Magna (static) Algea, Pseudokirchneriella subcapitata LC50 >100 mg/L; 96h (CAS no 8042-47-5) OECD 202 EC50 >100 mg/L; 48h (CAS no 8042-47-5) OECD 202 EC50 <100 mg/L; 72h (CAS no 8042-47-5) OECD 201				
Persistence	May persist in the environment.				
Degradability	White mineral oil (CAS no 8042-47-5) is not readily biodegradable.				
Bioaccumulative potential	White mineral oil (CAS no 8042-47-5) should bioaccumulate according to its high partition coefficient (Log Kow >6).				
Mobility in soil	Insoluble in water. When release occurs only to the water compartment, this oil should partition to the soil and sediment compartments.				
Other adverse effects	This chemical does not deplete the ozone layer.				

13. Disposal considerations



Important! Prevent waste generation. Use in full. DO NOT dispose residue in sewers, streams or drinking water supply. Non-use oils, organic solvents and wastes residues can be reprocessed (recycle) where there is a recovery program. Empty containers can be treated (recycled) where there is a recovery program. Dispose via a licensed waste disposal contractor. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.

14. Transport information				
UN Number	UN N/A			
UN Proper Shipping Name	Not regulated by TDG (Canada) and 49 CFR DOT (USA).			
Environmental hazards	This material does not contain marine pollutant.			

Special precautions for user	No information available for this product.					
TDG - Transportation of	of Dangerous Goods (Canada)					
Transport hazard class(es)	Not regulated					
Packing group	Not regulated					
Emergency response guidebook 2016						
IMO/IMDG - Internation	al Maritime Transport					
Classification	Not regulated					
IATA - International Air	Transport Association					
Classification	Not regulated					
These transportation classifications	are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper					

15. Regulatory information

CANADA

Common name	CAS	CEPA	DSL	NDSL	NPRI
White mineral oil	8042-47-5	X	X		X

- CEPA: List of Toxic Substances Managed Under Canadian Environmental Protection Act

transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.

- DSL: Domestic Substances List Inventory
- NDSL: Non-Domestic Substances List Inventory
- NPRI: National Pollutant Release Inventory Substances

UNITED STATE OF AMERICA

Common name	CAS	I C. V.	CER CLA	EPCRA 302/304	112(b)	CAA 112(b) HAP	CAA 112(r)	('\\/ \ 211	CWA Prio.
White mineral oil	8042-47-5	Χ							

- TSCA: Toxic Substance Control Act
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act list of hazardous substances
- EPCRA 313: Emergency Planning and Community Right-to-Know Act, Section 313 Toxic Chemicals
- EPCRA 302/304: Emergency Planning and Community Right-to-Know Act, Section 302/304 Extremely Hazardous Substances
- CAA 112(b) HON: Clean Air Act Hazardous Organic National Emission Standard for Hazardous Air Pollutant
- CAA 112(b) HAP: Clean Air Act Hazardous Air Pollutants lists pollutants
- CAA 112(r): Clean Air Act Regulated Chemicals for Accidental Release Prevention
- CWA 311: Clean Water Act List of Hazardous Substances
- CWA Priority: Clean Water Act Priority Pollutant list

California Proposition 65

No ingredients listed.


Other	- NSF International : H1 Registered.
regulations	This product is intended for application on industrial and food equipment. It should not be added directly to
	the food product.



Non-WHMIS controlled

HMIS





NFPA



TM/MD

16. Other in	formation
Date (YYYY-MM-DD)	AEROCHEM Inc. 2017-01-12
Version	01
Other information	REFERENCES: - Haz-Map, Information on Hazardous Chemicals and Occupational Diseases, http://hazmap.nlm.nih.gov/index.php - Service du répertoire toxicologique de la Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST), http://www.reptox.csst.qc.ca - OECD Existing Chemicals Database, Chemicals Screening Information DataSet (SIDS) for High Volume Chemicals, UNEP publications, http://webnet.oecd.org/HPV/UI/Search.aspx ACGIH: American Conference of Governmental Industrial Hygienists AlHA: American Industrial Hygiene Association HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association OSHA: Occupational Safety and Health Administration (USA) NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program RSST: Règlement sur la santé et la sécurité du travail (Québec) GHS: Globally Harmonized System IARC: International Agency for Research on Cancer IDLH: Immediately Dangerous to Life or Health STEL: Short Term Exposure Limit (15 min) TWA: Time Weighted Averages WHMIS: Workplace Hazardous Materials Information System
Powered by Revenus A global vision of prevention	To the best of our knowledge, the information contained herein is accurate. However, neither Prī¿½ventis System nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.