

Safety Data Sheet

AEROSLIDE




AEROCHEM

1. Identification

Product identifier	AEROSLIDE
Product code	FLSLIDE20KG; FLSLIDE204KG
Other means of identification	N.Av.
Recommended use of the chemical and restrictions on use	Mold release. Not recommended for any other use not detailed on product data sheet or label.
Manufacturer	AEROCHEM Inc. 5977 Trans Canada Highway Pointe-Claire, QC H9R 1C1 Canada Tel. 514-630-2800 General Information: 1-888-592-5837 Fax 514-630-2828 www.aerochem.ca
Emergency phone number	Quebec Poison Center: 1-800-463-5060 (toll free in QC) Ontario and Manitoba Poison Centres: 1-800-268-9017 or 419-813-5900 BC Drug and Poison Information Centre: 1-800-567-8911 (toll free in BC) or contact your local poison control centre in the state/province or territory where you live. INFOTRAC® 1-800-535-5053. International call collect: 1-352-323-3500 24 hours/day, 7 days/week.

2. Hazard identification

Summary	Avoid contact with skin, eyes and clothing. Do not breathe vapours, mists or aerosols. Do not ingest. If medical advice is needed, have this SDS or label at hand. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.
WHMIS 2015/OSHA HCS 2012/GHS	
	Serious eye damage/eye irritation (Category 2)
WARNING	
H319: Causes serious eye irritation	
P264: Wash skin thoroughly after handling.	
P280: Wear protective gloves, protective clothing and eye protection.	
P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.	
P337+313: If eye irritation persists: Get medical advice or attention.	
P501: Dispose of contents and container to a licensed chemical disposal agency in accordance with local, regional and national regulations.	

3. Composition/information on ingredients

Common name	CAS	Weight % content
Siloxanes and silicones, 3-[(2-aminoethyl)amino]propylmethyl, di-methyl, methoxyterminated	102782-92-3	5 - 10 %
Polyethylene glycol octylphenol ether	9002-93-1	1 - 5 %

4. First-aid measures

Inhalation	Move person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen by trained personnel. If a problem develops or persists, seek medical attention.
Skin contact	Flush with water for at least 15 minutes. Remove contaminated clothing and wash before reuse. Avoid touching eyes with contaminated body parts. If a problem develops or persists, seek medical attention.
Eye contact	IMMEDIATELY flush with plenty of water. Remove contact lenses if easy to do. Flush with water for at least 15 minutes. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.
Ingestion	DO NOT induce vomiting, unless recommended by medical personnel. Never give anything by mouth if victim is unconscious or convulsing. If victim is conscious wash out mouth with water and then drink plenty of water. Seek medical attention or contact a Poison Centre immediately.
Other	No additional information.
Symptoms	May cause redness and irritation to eyes. May cause redness and slight irritation of the skin.
Notes to the physician	If gastric lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire-fighting measures

Suitable extinguishing media	Dry chemicals, water spray, chemical foam, carbon dioxide (CO ₂).
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Special protective equipment	Firefighters must wear self contained breathing apparatus with full face mask. Firefighting suit may not be efficient against chemicals.
Special protective actions for fire-fighters	Use water spray to cool fire-exposed containers. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply.


6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Do not touch spilled material. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet.
Environmental precautions	Prevent entry into sewers, closed areas and release to the environment. For a large spill, consult the Department of Environment or the relevant authorities.
Methods and materials for containment and cleaning up	Warning! Floor may be slippery. Ventilate the area well. Stop leak, if it's possible to do so without risk. Absorb with inert material (soil, sand, vermiculite) and place in an appropriate waste disposal clearly identified. For large spills, dike for later disposal. Dispose via a licensed waste disposal contractor.

7. Handling and storage

Precautions for safe handling	Use only in well ventilated area. Avoid contact with skin, eyes and clothing. Do not breathe vapours, mists or aerosols. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved. Keep containers tightly closed when not in use. Do not eat, do not drink and do not smoke during use. After use, wash hands with soap and water. Wash contaminated clothing before reuse.
Conditions for safe storage, including any incompatibilities	Store tightly closed and in properly labelled containers in a cool, dry and well ventilated place. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from oxidizing materials and incompatible materials (see section 10). Keep away from direct sunlight and heat. Keep from freezing.
Storage temperature	4 to 27°C (39.2 to 80.6°F)

8. Exposure controls/personal protection

Immediately Dangerous to Life or Health	No IDLH value is reported.
Appropriate engineering controls	There is no control parameter set for the ingredients of this product. Ensure adequate ventilation, especially in confined areas.
Individual protection measures	
Eye	Wear safety glasses with side shields. If there is a risk of contact with eyes, wear chemical splash goggles.
Hands	Wear nitrile or neoprene gloves. Disposable nitrile gloves can also be used, but discard after single use. Before using, user should confirm impermeability. Discard gloves with tears, pinholes, or signs of wear. Gloves must only be worn on clean hands.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Wear normal work clothing covering arms and legs as required by employer code. Wear synthetic or a neoprene apron, if necessary, to prevent repeated or prolonged contact with skin.
Respiratory	Respiratory protection is not required for normal use. Where the conditions in the workplace require a respirator, it is necessary to follow a respiratory protection program. Moreover, respiratory protection equipment (RPE) must be selected, fitted, maintained and inspected in accordance with regulations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Z 94.11 (Canada) and approved by NIOSH/MSHA.
Feet	Wear rubber boots to clean up a spill.
 Goggles Nitrile gloves	

9. Physical and chemical properties

Physical state	Liquid	Flammability	Non-flammable.
Colour	White with blue tint	Flammability limits	N/Av.
Odour	Odourless	Flash point	N/Av.
Odour threshold	N/Av.		N/Av.

		Auto-ignition temperature	
pH	N/Av.	Sensibility to electrostatic charges	N/Av.
Melting point	0°C (32°F)	Sensibility to sparks and/or friction	No
Freezing point	0°C (32°F)	Vapour density	N/Av. (Air = 1)
Boiling point	100°C (212°F)	Relative density	0.99 to 1 kg/L (Water = 1)
Solubility	Soluble in water.	Partition coefficient n-octanol/water	N/Av.
Evaporation rate	N/Av.	Decomposition temperature	N/Av.
Vapour pressure	N/Av.	Viscosity	<3000 cSt
Percent Volatile	N/Av.	Molecular mass	N/Av.
N/Av.: Not Available N/Av.: Not Applicable Und.: Undetermined N/E: Not Established			

10. Stability and reactivity

Reactivity	No reaction expected.
Chemical stability	Stable under recommended storage conditions. May be unstable over 27 °C.
Possibility of hazardous reactions (including polymerizations)	A dangerous reaction will not occur.
Conditions to avoid	Avoid contact with incompatible substances. Avoid excessive heat for prolonged periods of time.
Incompatible materials	Strong oxidizing agents (e.g. chlorine, fluorine, nitric acid, perchloric acid, peroxides, nitrates, chlorates, chromates, permanganates and perchlorates).
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information


Numerical measures of toxicity	Siloxanes and silicones, 3-[(2-aminoethyl)amino]propylmethyl, di-methyl, methoxyterminated Polyethylene glycol octylphenol ether	Ingestion >2000 mg/kg Rat LD50 Ingestion 1800 mg/kg Rat LD50 Skin >2000 mg/kg Rabbit LD50
Likely routes of exposure	Skin, eyes, inhalation, ingestion.	
Delayed, immediate and chronic effects	<p>Eye contact May cause redness and irritation to eyes.</p> <p>Skin contact May cause redness and slight irritation of the skin.</p> <p>Inhalation In the workplace, the product is rapidly absorbed by respiratory tract. Prolonged or excessive exposure may cause headache, drowsiness, nausea, dizziness, respiratory tract irritation.</p> <p>Ingestion May cause gastrointestinal irritation with nausea and vomiting.</p> <p>Respiratory or skin sensitization Ingredients present at levels greater than or equal to 0.1% of this product are not skin or respiratory sensitizers.</p> <p>IARC/NTP Classification No ingredients listed.</p>	

	<p>Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.</p> <p>Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects.</p> <p>Reproductive toxicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects.</p> <p>Specific target organ toxicity - single exposure No target organ is listed.</p> <p>Specific target organ toxicity - repeated exposure No target organ is listed.</p>
Interactive effects	No information available.
Other information	The oral and skin acute toxicity estimates (ATE) of the mixture were calculated to be greater than 2000 mg/kg. The acute toxicity estimates (ATE) by inhalation of the mixture were calculated to be greater than 20 mg/L/4h for vapours and to be greater than 5 mg/L/4h for the aerosols and mists. These values are not classified according to WHMIS 2015 and OSHA HCS 2012.

12. Ecological information

Ecological toxicity	<p>Fish - Lepomis macrochirus - Bluegill LC50 2.8-3.2 mg/L; 96 h (CAS no 9002-93-1)</p> <p>Aquatic Invertebrate - Daphnia Magna, Water flea, fresh water EC50 11.2 mg/L; 48 h (CAS no 9002-93-1)</p>
Persistence	Contains an or many ingredients that may be persistent in the environment.
Degradability	The product is a mixture of which some ingredients are readily biodegradable (> 60% in 28 days) while other ingredients are not readily biodegradable (<60% in 28 days).
Bioaccumulative potential	The product is a mixture of which all ingredients have a low bioaccumulation potential (Log Kow of <3 and / or BCF <500).
Mobility in soil	Soluble in water. The product is a mixture whose ingredients have a high mobility in the soil.
Other adverse effects	This chemical does not deplete the ozone layer.

13. Disposal considerations

 Container	Important! Prevent waste generation. Use in full. DO NOT dispose residue in sewers, streams or drinking water supply. Residues must be considered as hazardous waste. Empty containers can be treated (recycled) where there is a recovery program. Dispose via a licensed waste disposal contractor. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.
---	--

14. Transport information

UN Number	UN N/A
UN Proper Shipping Name	Not regulated by TDG (Canada) and 49 CFR DOT (USA).
Environmental hazards	This material does not contain marine pollutant.
Special precautions for user	No additional information.

TDG - Transportation of Dangerous Goods (Canada)

Transport hazard class(es)	Not regulated
-----------------------------------	---------------

Packing group	Not regulated
----------------------	---------------

Emergency response guidebook 2016	
--	--

IMO/IMDG - International Maritime Transport

Classification	Not regulated
-----------------------	---------------

IATA - International Air Transport Association

Classification	Not regulated
-----------------------	---------------

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.

15. Regulatory information**CANADA**

Common name	CAS	CEPA	DSL	NDSL	NPRI
Siloxanes and silicones, 3-[(2-aminoethyl)amino]propylmethyl, di-methyl, methoxyterminated	102782-92-3			X	
Polyethylene glycol octylphenol ether	9002-93-1		X		X

- CEPA: List of Toxic Substances Managed Under Canadian Environmental Protection Act
- DSL: Domestic Substances List Inventory
- NDSL: Non-Domestic Substances List Inventory
- NPRI: National Pollutant Release Inventory Substances

UNITED STATE OF AMERICA

Common name	CAS	TSCA	CER CLA	EPCRA 313	EPCRA 302/304	CAA 112(b) HON	CAA 112(b) HAP	CAA 112(r)	CWA 311	CWA Prio.
Siloxanes and silicones, 3-[(2-aminoethyl)amino]propylmethyl, di-methyl, methoxyterminated	102782-92-3	X								
Polyethylene glycol octylphenol ether	9002-93-1	X								

- TSCA: Toxic Substance Control Act
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act list of hazardous substances
- EPCRA 313: Emergency Planning and Community Right-to-Know Act, Section 313 Toxic Chemicals
- EPCRA 302/304: Emergency Planning and Community Right-to-Know Act, Section 302/304 Extremely Hazardous Substances
- CAA 112(b) HON: Clean Air Act - Hazardous Organic National Emission Standard for Hazardous Air Pollutant
- CAA 112(b) HAP: Clean Air Act - Hazardous Air Pollutants lists pollutants
- CAA 112(r): Clean Air Act - Regulated Chemicals for Accidental Release Prevention
- CWA 311: Clean Water Act - List of Hazardous Substances
- CWA Priority: Clean Water Act - Priority Pollutant list

California Proposition 65

No ingredients listed.

Other regulations	
--------------------------	--

WHMIS 1988


D2B

Class D2B : Toxic material causing other toxic effects

HMIS**NFPA**

TM/MD

16. Other information

Date (YYYY-MM-DD)	AEROCHEM Inc. 2017-09-20
Version	01
Other information	<p>REFERENCES:</p> <ul style="list-style-type: none"> - Haz-Map, Information on Hazardous Chemicals and Occupational Diseases, http://hazmap.nlm.nih.gov/index.php - Service du répertoire toxicologique de la Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST), http://www.reptox.csst.qc.ca - TOXNET Databases, Toxicology Data Network, NIH U.S. National Library of Medicine, http://toxnet.nlm.nih.gov/ - OECD Existing Chemicals Database, Chemicals Screening Information DataSet (SIDS) for High Volume Chemicals, UNEP publications, http://webnet.oecd.org/HPV/UI/Search.aspx - The National Center for Biotechnology Information, National Institutes of Health (NIH), U.S. National Library of Medicine, www.ncbi.nlm.nih.gov <p>ACGIH: American Conference of Governmental Industrial Hygienists AIHA: American Industrial Hygiene Association HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association OSHA: Occupational Safety and Health Administration (USA) NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program RSST: Règlement sur la santé et la sécurité du travail (Québec) GHS: Globally Harmonized System IARC: International Agency for Research on Cancer IDLH: Immediately Dangerous to Life or Health STEL: Short Term Exposure Limit (15 min) TWA: Time Weighted Averages WHMIS: Workplace Hazardous Materials Information System</p>
Powered by  A global vision of prevention	To the best of our knowledge, the information contained herein is accurate. However, neither Preventis System nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.